

序号	报告编号	发布日期	结论	影像资料
149	GX-B1601/22-B-240543	2024.9.23	所检项目合格	
150	GX-B1601/22-B-240544~240562	2024.9.23	所检项目合格	
151	GX-B1410/22-B-24312~24323	2024.9.20	所检项目合格	

152	GX-B1410/22-B-24306~24307	2024.9.20	所检项目合格	
153	GX-B1592/21-B-24100	2024.9.20	所检项目合格	
154	GX-B1602/22-B-24045	2024.9.23	所检项目合格	

155	GX-B1528/20-B-24318~24319	2024.9.23	所检项目合格	
156	GX-B1542/21-B-24509-24520	2024.9.23	所检项目合格	
157	GX-B1542/21-B-24496-24508	2024.9.23	所检项目合格	

158	GX-B1568/22-B-240375-240380	2024.9.24	所检项目合格	 <p>2024.9.4</p>
159	GX-B1602/22-B-24042-24043	2024.9.24	所检项目合格	 <p>2024.8.24</p>
160	GX-B1595/22-B-240137~240148	2024.9.24	所检项目合格	 <p>2024.9.9</p>

161	GX-B1595/22-B-240149	2024.9.24	所检项目合格	
162	GX-B1568/22-B-240388	2024.9.25	所检项目合格	
163	GX-B1540/20-B-242083-242107	2024.9.25	所检项目合格	

164	GX-B1475/22-B-240401-240404	2024.9.25	所检项目合格	
165	GX-B1540/20-B-242127-242128	2024.9.25	所检项目合格	
166	GX-B1540/20-B-242108-242126	2024.9.25	所检项目合格	

167	GX-B1410/22-B-24337-24339	2024.9.25	所检项目合格	
168	GX-B1601/22-B-240637-240640	2024.9.25	所检项目合格	
169	GX-B1593/21-B-24458	2024.9.25	所检项目合格	

170	GX-B1374/22-B- 24546~24564	2024.9.25	所检项目合格	 A photograph showing two men in light blue short-sleeved shirts in a laboratory. One man is holding a clipboard and looking at it, while the other stands beside him. The background shows laboratory equipment and shelves. A timestamp '2024.9.13' is visible in the bottom right corner of the image.
171	GX-B1601/22-B-240641	2024.9.25	所检项目合格	 A photograph of a laboratory interior. A man in a light blue shirt is standing near a computer monitor displaying a software interface. Another person is visible in the background. The room has large windows and various pieces of equipment. A timestamp '2024.9.19' is visible in the bottom right corner of the image.
172	GX-B1374/22-B- 24565~24574	2024.9.25	所检项目合格	 A photograph showing a woman in a light blue shirt working with laboratory equipment. A man in a light blue shirt is standing next to her, looking at the equipment. The background shows laboratory shelves and equipment. A timestamp '2024.9.19' is visible in the bottom right corner of the image.



173	GX-B1475/22-B- 240469~240478	2024.9.25	所检项目合格	
174	GX-B1540/20-B- 242316~242330	2024.9.25	所检项目合格	
175	GX-B1593/21-B-24459-24463	2024.9.25	所检项目合格	

176	GX-B1372/22-B-240793~240807	2024年9月25日	所检项目合格	
177	GX-B1372/22-B-240859	2024年9月25日	所检项目合格	
178	GX-B1540/20-B-242245~242247	2024年9月25日	所检项目合格	

179	GX-B1540/20-B-242241~242244	2024年9月25日	所检项目合格	
180	GX-B1540/20-B-242249~242253	2024年9月25日	所检项目合格	
181	GX-B1568/22-B-240381~240386	2024年9月25日	所检项目合格	

182	GX-B1374/22-B-240673~240676	2024年9月25日	所检项目合格	
183	GX-B1374/22-B-240672	2024年9月25日	所检项目合格	
184	GX-B1601/22-B-240532~240534	2024年9月25日	所检项目合格	

185	GX-B1475/22-B-240246~240256	2024年9月25日	所检项目合格	
186	GX-B1410/22-B-243330~243336	2024年9月25日	所检项目合格	
187	GX-B1601/22-B-240585~240589	2024年9月25日	所检项目合格	

188	GX-B1593/21-B-24384~24389	2024年9月25日	所检项目合格	
189	GX-B1372/22-B-240738~240742	2024年9月25日	所检项目合格	
190	GX-B1372/22-B-240743~240744	2024年9月25日	所检项目合格	

191	GX-B1374/22-B-240667~240669	2024年9月25日	所检项目合格	
192	GX-B1374/22-B-240670~240671	2024年9月25日	所检项目合格	
193	GX-B1489/21-F-24079	2024.9.26	所检项目合格	

194	GX-B1489/21-F-24080	2024.9.26	所检项目合格	 A photograph showing two individuals in a laboratory setting. They are positioned around a piece of scientific equipment, possibly a spectrophotometer or a similar analytical instrument. One person is leaning over the machine, while the other stands beside it. The background features a window with light-colored curtains. A small red warning sign is visible on the wall. A timestamp '2024.9.24' is present in the bottom right corner of the image.
195	GX-B1489/21-F-24081	2024.9.26	所检项目合格	 A photograph showing two individuals in a laboratory setting, similar to the first image. They are operating a piece of scientific equipment. The scene is well-lit, and the individuals are focused on their task. A timestamp '2024.9.24' is visible in the bottom right corner.
196	GX-B1489/21-F-24082	2024.9.26	所检项目合格	 A photograph showing two individuals in a laboratory setting. They are standing near a piece of equipment, possibly a biosafety cabinet or a similar containment device. One person is looking at something on the equipment, while the other stands next to them. A timestamp '2024.9.24' is visible in the bottom right corner.

197	GX-B1489/21-F-24083	2024.9.26	所检项目合格	
198	GX-B1460/22-F-24007	2024.9.26	所检项目合格	
199	GX-B1489/21-F-24079	2024.9.26	所检项目合格	

200	GX-B1545/21-B- 24207~24208	2024.9.26	所检项目合格	
201	GX-B1544/21-B- 24222~24223	2024.9.26	所检项目合格	
202	GX-B1475/22-B- 240479~240498	2024.9.27	所检项目合格	

203	GX-B1475/22-B- 240499	2024.9.27	所检项目合格	
204	GX-B1374/22-B- 240756~240772	2024.9.27	所检项目合格	
205	GX-B1540/20-B- 242440~242464	2024.9.27	所检项目合格	

206	GX-B1540/20-B- 242465~242489	2024.9.27	所检项目合格	
207	GX-B1372/22-B-240787-240792	2024.9.27	所检项目合格	
208	GX-B1475/22-B-240453	2024.9.27	所检项目合格	

209	GX-B1475/22-B-240301-240303	2024.9.27	所检项目合格	 <p>2024.8.27</p>
210	GX-B11372/22-B-240745-24747	2024.9.27	所检项目合格	 <p>2024.8.27</p>
211	GX-B1374/22-B-240716-240721	2024.9.27	所检项目合格	 <p>2024.8.27</p>

212	GX-B1374/22-B-24508-24517	2024.9.27	所检项目合格	 <p>2024.9.27</p>
213	GX-B1542/21-B- 24529~24532	2024.9.28	所检项目合格	 <p>2024.9.19</p>
214	GX-B1373/21-B- 24594~24600	2024.9.28	所检项目合格	 <p>2024.9.25</p>

215	GX-B1465/22-B- 24241~24246	2024.9.28	所检项目合格	
216	GX-B1373/21-B- 24566~24568	2024.9.28	所检项目合格	
217	GX-B1374/22-B-24524~24542	2024.9.27	所检项目合格	

218	GX-B1372/22-B-240808~240810	2024.9.27	所检项目合格	
219	GX-B1374/22-B-24543~24545	2024.9.27	所检项目合格	
220	GX-B1540/20-B-242254~242273	2024.9.27	所检项目合格	

221	GX-B1540/20-B-242490~242493	2024.9.27	所检项目合格	
222	GX-B1540/20-B-242274~242298	2024.9.27	所检项目合格	
223	GX-B1540/20-B-242299~242315	2024.9.27	所检项目合格	

224	GX-B1475/22-B-240460~240468	2024.9.27	所检项目合格	
225	GX-B1373/21-B-24559~24562	2024.9.27	所检项目合格	
226	GX-B1603/22-B-240373~240376	2024.9.27	所检项目合格	

227	GX-B1545/21-B-24188~24191	2024年9月28日	所检项目合格	
228	GX-B1545/21-B-24192~24194	2024年9月28日	所检项目合格	
229	GX-B1528/20-B-24314~24316	2024年9月28日	所检项目合格	

230	GX-B1528/20-B-24310~24313	2024年9月28日	所检项目合格	
231	GX-B1529/20-B-24446~24449	2024年9月28日	所检项目合格	
232	GX-B1529/20-B-24450~24452	2024年9月28日	所检项目合格	

233	GX-B1606/23-B-24118~24122	2024年9月28日	所检项目合格	
234	GX-B1606/23-B-24123~24128	2024年9月28日	所检项目合格	
235	GX-B1605/23-B-24123-24128	2024年9月28日	所检项目合格	

236	GX-B1605/23-B-24118-24122	2024年9月28日	所检项目合格	
237	GX-B1603/22-B-240392~240395	2024.9.27	所检项目合格	
238	GX-B1605/23-B- 24129~24133	2024.9.28	所检项目合格	

239	GX-B1373/21-B- 24442	2024.9.28	所检项目合格	
240	GX-B1409/22-B- 24063	2024.9.28	所检项目合格	
241	GX-B1466/22-B- 24091~24096	2024.9.28	所检项目合格	

242	GX-B1606/23-B- 24129~24133	2024.9.28	所检项目合格	
243	GX-B1542/21-B- 24521~24528	2024.9.28	所检项目合格	
244	GX-B1601/22-B-240634~240636	2024.9.27	所检项目合格	

